

ÁREA DE DOCUMENTACIÓN

CENTRO DE REFERENCIA ESTATAL DE ATENCIÓN A PERSONAS CON ENFERMEDAD DE ALZHEIMER Y OTRAS DEMENCIAS IMERSO.

TERAPIA DE REMINISCENCIA

Referencias bibliográficas

- Anum, A., Azizan, A. y Alias, A. (2020). Effects of reminiscence therapy on depression for elderly with Alzheimer's disease. *Journal of Asian Behavioural Studies*, 5(15), 17-26. <https://doi.org/10.21834/jabs.v5i15.341>
- Aşiret, G. D. y Kapucu, S. (2016). The effect of reminiscence therapy on cognition, depression, and activities of daily living for patients with Alzheimer's disease. *Journal of Geriatric Psychiatry and Neurology*, 29(1), 31-37. <https://doi.org/10.1177%2F0891988715598233>
- Astell, A. J., Smith, S. K., Potter, S. y Preston-Jones, E. (2018). Computer interactive reminiscence and conversation aid groups: delivering cognitive stimulation with technology. *Alzheimer's & Dementia*, 4(1), 481-487. <https://doi.org/10.1016/j.trci.2018.08.003>
- Blake, M. (2013). Group reminiscence therapy for adults with dementia: a review. *British Journal of Community Nursing*, 18(5), 228-232. <https://doi.org/10.12968/bjcn.2013.18.5.228>
- Bohlken, J., Weber, S. A., Siebert, A., Forstmeier, S., Kohlmann, T. y Rapp, M. A. (2017). Reminiscence therapy for depression in dementia: an observational study with matched pairs. *GeroPsych*, 30(4), 145-151. <https://doi.org/10.1024/1662-9647/a000175>
- Coelho, T., Marques, C., Moreira, D., Soares, M., Portugal, P., Marques, A., ... y Fernandes, L. (2020). Promoting reminiscences with virtual reality headsets: a pilot study with people with dementia. *International Journal of Environmental Research and Public Health*, 17(24), 1-13. <https://doi.org/10.3390/ijerph17249301>

- Coll Planas, L., Watchman, K., Doménech, S., McGillivray, D., O'Donnell, H. y Tolson, D. (2017). Developing evidence for football (soccer) reminiscence interventions within long-term care: a co-operative approach applied in Scotland and Spain. *Journal of the American Medical Directors Association*, 18(4), 355-360. <https://doi.org/10.1016/j.jamda.2017.01.013>
- Charlesworth, G., Burnell, K., Crellin, N., Hoare, Z., Hoe, J., Knapp, M., ... y Orrell, M. (2016). Peer support and reminiscence therapy for people with dementia and their family carers: a factorial pragmatic randomised trial. *Journal of Neurology, Neurosurgery & Psychiatry*, 87(11), 1218-1228. <https://doi.org/10.1136/jnnp-2016-313736>
- Cuevas, P. E., Davidson, P. M., Mejilla, J. L. y Rodney, T. W. (2020). Reminiscence therapy for older adults with Alzheimer's disease: a literature review. *International Journal of Mental Health Nursing*, 29(3), 364-371. <https://doi.org/10.1111/inm.12692>
- Dempsey, L., Murphy, K., Cooney, A., Casey, D., O'Shea, E., Devane, D., ... y Hunter, A. (2014). Reminiscence in dementia: a concept analysis. *Dementia*, 13(2), 176-192. <https://doi.org/10.1177/1471301212456277>
- González, J., Mayordomo, T., Torres, M., Sales, A. y Meléndez, J. C. (2015). Reminiscence and dementia: a therapeutic intervention. *International Psychogeriatrics*, 27(Special Issue 10), 1731-1737. <https://doi.org/10.1017/S1041610215000344>
- González-Arévalo, K. A. (2015). Terapia de reminiscencia y sus efectos en los pacientes mayores con demencia. *Psicogeriatría*, 5(3), 101-111. https://www.viguera.com/sep/g/pdf/revista/0503/503_0101_0111.pdf
- Haslam, C., Haslam, S. A., Ysseldyk, R., McCloskey, L., Pfisterer, K. y Brown, S. G. (2014). Social identification moderates cognitive health and well-being following story-and song-based reminiscence. *Aging & Mental Health*, 18(4), 425-434. <https://doi.org/10.1080/13607863.2013.845871>

- Huang, H., Chen, Y., Chen, P., Hu, S. H., Liu, F., Kuo, Y. y Chiu, H. (2015). Reminiscence therapy improves cognitive functions and reduces depressive symptoms in elderly people with dementia: a meta-analysis of randomized controlled trials. *Journal of the American Medical Directors Association*, 16(12), 1087-1094. <https://doi.org/10.1016/j.jamda.2015.07.010>
- Imtiaz, D., Anwar, Y. y Khan, A. (2020). Wearable sensors and a multisensory music and reminiscence therapies application: to help reduce behavioral and psychological symptoms in person with dementia. *Smart Health*, 18, 1-8. <https://doi.org/10.1016/j.smhl.2020.100140>
- Irazoki, E., García-Casal, J. A., Sánchez-Meca, J. y Franco-Martín, M. (2017). Eficacia de la terapia de reminiscencia grupal en personas con demencia: revisión sistemática y metaanálisis. *Neurología*, 65(10), 447-456. <https://doi.org/10.33588/rn.6510.2017381>
- Ito, T., Meguro, K., Akanuma, K., Ishi, H. y Mori, E. (2007). A randomized controlled trial of the group reminiscence approach in patients with vascular dementia. *Dementia and Geriatric Cognitive Disorders*, 24, 48-54. <https://doi.org/10.1159/000103631>
- Jo, H. y Song, E. (2015). The effect of reminiscence therapy on depression, quality of life, ego-integrity, social behavior function, and activities of daily living in elderly patients with mild dementia. *Educational Gerontology*, 41(1), 1-13. <https://doi.org/10.1080/03601277.2014.899830>
- Justo-Henriques, S. I., Carvalho, J. O., Pérez-Sáez, E., Neves, H., Parola, V. y Alves-Apostolo, J. L. (2022). Randomized trial of individual reminiscence therapy for older adults with cognitive impairment: a 3-month responder analysis. *Revista de Neurología*, 74(4), 107-116. <https://doi.org/10.33588/rn.7404.2021322>
- Justo Henriques, S. I., Pérez Sáez, E. y Alves Apóstolo, J. L. (2020). Individual intervention protocol based on reminiscence therapy for older people with neurocognitive disorders. *Revista de Enfermagem Referencia*, (3), 1-10. <https://doi.org/10.12707/RV20043>

- Justo-Henriques, S. I., Pérez-Sáez, E. y Alves Apóstolo J. L. (2021). Multicentre randomised controlled trial about the effect of individual reminiscence therapy in older adults with neurocognitive disorders. *International Journal Geriatric Psychiatry*, 36(5), 704-712. <https://doi.org/10.1002/gps.5469>
- Justo-Henriques, S. I., Pérez-Sáez, E., Alves Apóstolo, J. L. y Carvalho, J. O. (2021). Effectiveness of a randomized controlled trial of individual reminiscence therapy on cognition, mood and quality of life in Azorean older adults with neurocognitive disorders. *Journal of Clinical Medicine*, 10(22), 1-11. <https://doi.org/10.3390/jcm10225395>
- Khait, A. A., Reagan, L. y Shellman, J. (2021). Uses of reminiscence intervention to address the behavioral and psychosocial problems associated with dementia: an integrative review. *Geriatric Nursing*, 42(3), 756-766. <https://doi.org/10.1016/j.gerinurse.2021.03.021>
- Khait, A. A. y Shellman, J. (2020). Reminiscence in the care of people with mild dementia: a concept analysis. *Nursing Forum*, 55(2), 282-293. <https://doi.org/10.1111/nuf.12427>
- Kirk, M., Rasmussen, K. W., Overgaard, S. B. y Berntsen, D. (2019). Five weeks of immersive reminiscence therapy improves autobiographical memory in Alzheimer's disease. *Memory*, 27(4), 441-454. <https://doi.org/10.1080/09658211.2018.1515960>
- Lazar, A., Thompson, H. y Demiris, G. (2014). A systematic review of the use of technology for reminiscence therapy. *Health Education & Behavior*, 41(suppl. 1), 51-61. <https://doi.org/10.1177%2F1090198114537067>
- Li, M., Lyu, J., Zhang, Y., Gao, M., Li, R., Mao, P., ... y Ma, X. (2020). Efficacy of group reminiscence therapy on cognition, depression, neuropsychiatric symptoms, and activities of daily living for patients with Alzheimer disease. *Journal of Geriatric Psychiatry and Neurology*, 33(5), 272-281. <https://doi.org/10.1177/0891988719882099>

- Li, M., Lyu, J., Zhang, Y., Gao, M., Li, W. y Ma, X. (2017). The clinical efficacy of reminiscence therapy in patients with mild-to-moderate Alzheimer disease: study protocol for a randomized parallel-design controlled trial. *Medicine*, 96(51), 1-7. <https://doi.org/10.1097%2FMD.00000000000009381>
- Lin, L. y Yen, H. (2018). Efficacy of reminiscence therapy on cognitive functioning in older adults: a horticultural life review program. *Topics in Geriatric Rehabilitation*, 34(2), 112-117. <https://doi.org/10.1097/TGR.0000000000000182>
- Lök, N., Bademli, K. y Selçuk-Tosun, A. (2019). The effect of reminiscence therapy on cognitive functions, depression, and quality of life in Alzheimer patients: randomized controlled trial. *International Journal of Geriatric Psychiatry*, 34(1), 47-53. <https://doi.org/10.1002/gps.4980>
- Macleod, F., Storey, L., Rushe, T. y McLaughlin, K. (2021). Towards an increased understanding of reminiscence therapy for people with dementia: a narrative analysis. *Dementia*, 20(4), 1375-1407. <https://doi.org/10.1177%2F1471301220941275>
- Manav, A. I. y Simsek, N. (2019). The effect of reminiscence therapy with Internet-based videos on cognitive status and apathy of older people with mild dementia. *Journal of Geriatric Psychiatry and Neurology*, 32(2), 104-113. <https://doi.org/10.1177%2F0891988718819864>
- Matheson-Monnet, C. (2020). Reminiscence therapy and intergenerational interventions for enhancing self-identity and social inclusion of older people and people living with dementia (PLDs). En Papa R. (eds.), *Handbook on Promoting Social Justice in Education*. Springer. https://doi.org/10.1007/978-3-030-14625-2_20
- Moon, S. y Park, K. (2020). The effect of digital reminiscence therapy on people with dementia: a pilot randomized controlled trial. *BMC Geriatrics*, 20(1), 1-11. <https://doi.org/10.1186/s12877-020-01563-2>

- Nakamae, T., Yotsumoto, K., Tatsumi, E. y Hashimoto, T. (2014). Effects of productive activities with reminiscence in occupational therapy for people with dementia: a pilot randomized controlled study. *Hong Kong Journal of Occupational Therapy*, 24(1), 13-19. <https://doi.org/10.1016%2Fj.hkijot.2014.01.003>
- Nawate, Y., Kaneko, F., Hanaoka, H. y Okamura, H. (2007). Efficacy of group reminiscence therapy for elderly dementia patients residing at home: a preliminary report. *Physical & Occupational Therapy in Geriatrics*, 26(3), 57-68. https://doi.org/10.1080/J148v26n03_04
- Okumura, Y., Tanimukai, S. y Asada, T. (2008). Effects of short-term reminiscence therapy on elderly with dementia: a comparison with everyday conversation approaches. *Psychogeriatrics*, 8(3), 124-133. <https://doi.org/10.1111/j.1479-8301.2008.00236.x>
- O'Philbin, L., Woods, B., Farrell, E. M., Spector, A. E. y Orrell, M. (2018). Reminiscence therapy for dementia: an abridged Cochrane systematic review of the evidence from randomized controlled trials. *Expert Review of Neurotherapeutics*, 18(9), 715-727. <https://doi.org/10.1080/14737175.2018.1509709>
- Park, K., Lee, S., Yang, J., Song, T. y Hong, G. S. (2019). A systematic review and meta-analysis on the effect of reminiscence therapy for people with dementia. *International Psychogeriatrics*, 31(11), 1581-1597. <https://doi.org/10.1017/S1041610218002168>
- Pérez-Sáez, E., Justo-Henriques, S. I., y Alves Apostolo, J. L. (2021). Multicenter randomized controlled trial of the effects of individual reminiscence therapy on cognition, depression and quality of life: analysis of a sample of older adults with Alzheimer's disease and vascular dementia. *The Clinical Neuropsychologist*, 1-22. <https://doi.org/10.1080/13854046.2021.1871962>
- Rose, N., Whitworth, A., Smart, S., Oliver, E. y Cartwright, J. (2020). "I remember when...": the impact of reminiscence therapy on discourse production in older adults with cognitive impairment. *International Journal of Speech-Language Pathology*, 22(3), 359-371. <https://doi.org/10.1080/17549507.2020.1747542>

- Saragih, I. D., Tonapa, S. I., Yao, C., Saragih, I. S. y Lee, B. (2022). Effects of reminiscence therapy in people with dementia: a systematic review and meta-analysis. *Journal of Psychiatric and Mental Health Nursing*, 1-21. <https://doi.org/10.1111/jpm.12830>
- Sass, C., Surr, C. y Lozano-Sufrategui, L. (2021). Creative non-fiction in dementia: men's experiences of sport-focused reminiscence using narrative methods. *Methods in Psychology*, 5, 1-9. <https://doi.org/10.1016/j.metip.2021.100061>
- Subramaniam, P. y Woods, B. (2012). The impact of individual reminiscence therapy for people with dementia: systematic review. *Expert Review of Neurotherapeutics*, 12(5), 545-555. <https://doi.org/10.1586/ern.12.35>
- Tadaka, E. y Kanagawa, K. (2007). Effects of reminiscence group in elderly people with Alzheimer disease and vascular dementia in a community setting. *Geriatrics & Gerontology International*, 7(2), 167-173. <https://doi.org/10.1111/j.1447-0594.2007.00381.x>
- Thomas, J. M. y Sezgin, D. (2021). Effectiveness of reminiscence therapy in reducing agitation and depression and improving quality of life and cognition in long-term care residents with dementia: a systematic review and meta-analysis. *Geriatric Nursing*, 42(6), 1497-1506. <https://doi.org/10.1016/j.gerinurse.2021.10.014>
- Woods, B., Bruce, E., Edwards, R. T., Hounscome, B., Keady, J., Moniz-Cook, E. D., ... y Russell, I. T. (2009). Reminiscence groups for people with dementia and their family carers: pragmatic eight-centre randomised trial of joint reminiscence and maintenance versus usual treatment: a protocol. *Trials*, 10(1), 1-10. <https://doi.org/10.1186/1745-6215-10-64>
- Woods, B., O'Philbin, L., Farrell, E. M., Spector, A. E. y Orrell, M. (2018). Reminiscence therapy for dementia. *Cochrane Database of Systematic Reviews*, (3), 1-113. <https://doi.org/10.1002/14651858.CD001120.pub3>

- Yasuda, K., Kuwabara, K., Kuwahara, N., Abe, S. y Tetsutani, N. (2009). Effectiveness of personalised reminiscence photo videos for individuals with dementia. *Neuropsychological Rehabilitation*, 19(4), 603–619. <https://doi.org/10.1080/09602010802586216>
- Yen, H. y Lin, L. (2018). A systematic review of reminiscence therapy for older adults in Taiwan. *The Journal of Nursing Research*, 26(2), 138-150. <https://doi.org/10.1097/jnr.0000000000000233>